

JC121408

Large LED Strip Reels IP20

LED Strip 30m 24V 4.8W IP20 3000K

Features & Benefits

- Dimmable depending on driver
- 3000K and 4000K colour temperatures available
- IP20 and IP65 options
- Profile options are: surface, slimline surface, recessed, corner, plaster in and plaster in slimline
- 120 LED's per metre, 5cm cut points



General Information

| | |
|------------------------------|---|
| Trade Name | Led Tape |
| Environment | Indoor |
| Suitable For Zones | Outside zone 2 |
| Product Group | LED Strip |
| Product Shape | Rectangular |
| Overall Dimensions | 10mm wide x 30m |
| Length (mm) | 30000 |
| Width (mm) | 10 |
| Product Weight(kg) | 0.405 |
| Light Source | LED |
| Light Source Features | Warm White |
| Additional Information | Dimmable, depending on driver |
| Luminaire Accessories | See LED Strip and Undershef section at JCC.co.uk |
| Recommended product location | For indoor use only |
| IP Rating | IP20 |
| Origin of manufacturer | Made in China |
| Warranty | 3 Year Warranty (See Website for terms and conditions) |
| Lighting Product Type 1 | Tapelight |
| Customs Tariff code** | 9405990090 |

Electrical

| | |
|--|--|
| Voltage Rating | 24V |
| Luminaire Circuit Wattage ¹ | 4.8W per metre |
| Class | III |
| Input Electrical Connections | 250mm DC trailing lead (+/-) connections |
| Dimmable | Depending on driver |

Thermals

| | |
|--------------------------|---------|
| Room Ambient Temperature | 0 to 26 |
|--------------------------|---------|

Performance Data


| | |
|--|---|
| LED Life (Hours)* | 54000 |
| Energy Rating | This product contains a light source of energy efficiency class F |
| Actual Lumen Output ¹ | 480 Lumens per metre |
| Lumens Per Circuit Watt ¹ | 100LpcW per metre |
| Standard Deviation Colour Matching - SDCM | >6 |
| Color Rendering Index | 80-89 |
| CRI: Ra | 80 |
| Correlated Colour Temperature ¹ | 3000K |
| Beam Angle ° | 120 |
| LOR (Light Output Ratio) % | 100 |


Packaging

| | |
|--------------------------------|---------------|
| Product Bar Code EAN-13 Number | 5052544117510 |
|--------------------------------|---------------|

Standards & Approvals

| | |
|-------------------------------|----------------------------------|
| Manufactured in accordance to | BS EN 60598-2015 |
| CE Marked | Yes |
| UKCA Marked | Yes |
| Date code/Purchase order No. | Yes |
| WEEE symbol | Yes |
| Certificate Of Conformity | Available on request |
| Accredited Members | LIA, ISO9001-2015, ISO14001-2015 |





*Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.

**JCC Lighting Limited makes every effort to ensure that the Customs Tariff information in this document is timely and accurate. However, it's not possible for us to assure the absolute veracity and completeness of that information, as errors may occur. The placement of any inaccurate tariff information is completely unintentional. JCC Lighting Limited reserves the right, in its sole discretion, to correct any errors or omissions to the tariff code and to make any and all changes contained in this document at any time and without notice. It is the sole responsibility of the importer to ensure that the commodity code advised is correct for the products/goods being supplied by JCC Lighting Limited. JCC Lighting Limited does not assume any liabilities, losses, costs, and expenses arising out of or related to the importers use of this commodity code or the information related to the import of any JCC Lighting products.

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk
Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 80 [05/02/2026]