

JC010036WH

Fireguard Next Generation Plaster-in

Fireguard Next Generation Plaster-in Unlamped Downlight IP65 White

Features & Benefits

- Countersunk screw points for ultra secure mounting
- Unique AC cable holder
- Shallow baffle lip designed to reduce the required thickness of plaster
- Double hinged terminal block holder
- For use with GU10 LED lamps (lamp not supplied)
- Tested for use in Solid and I-joist ceilings. See jcc.co.uk for latest test reports



Class 1



White



Rating



Lamp not
supplied



Warranty*

General Information

Mounting

Suitable For Zones

Product Group

Product Shape

Color Finish

Product Range

Overall Dimensions

Height (mm)

Diameter (mm)

Product Weight(kg)

Lamp Supplied

Minimum Void Requirement

Product Aperture Size

IP Rating

Duration of Fire protection (Mins)

Origin of manufacturer

Recessed

Zone 1

Fire-rated downlights

Round

White

Fireguard Next Generation

121Ø x 101.7mm

101.7

121

0.41

No

150mm

68-70mm

IP65 with gasket

Tested for use in fire-rated ceilings. Full information and up-to-date fire testing certificates for ceiling system types are available on JCC.CO.UK

China

Warranty	5 Year(terms and conditions apply)
Customs Tariff code**	9405421000

Electrical

Voltage Rating	220-240
Operating Frequency Hz	50/60
Luminaire Circuit Wattage1	7W LED max
Input Electrical Connections	Live, Earth, Neutral
Dimmable	Dependant on lamp

Thermals

Insulation Coverage	Can be loosely covered with mineral wool insulsation
Minimum Void Requirement	150mm
Operating Temperature Range °C	0-26

Construction


Primary Material	Pressed steel
------------------	---------------



Packaging

Product Bar Code EAN-13 Number	5052544123337
--------------------------------	---------------

Standards & Approvals

Manufactured in accordance to	BS EN 60598-2-1, 2-2
CE Marked	Yes
UKCA Marked	Yes
Date code/Purchase order No.	Yes
WEEE symbol	yes
Certificate Of Conformity	Available on request
Accredited Members	LIA, ISO9001-2015, ISO14001-2015





**JCC Lighting Limited makes every effort to ensure that the Customs Tariff information in this document is timely and accurate. However, it's not possible for us to assure the absolute veracity and completeness of that information, as errors may occur. The placement of any inaccurate tariff information is completely unintentional. JCC Lighting Limited reserves the right, in its sole discretion, to correct any errors or omissions to the tariff code and to make any and all changes contained in this document at any time and without notice. It is the sole responsibility of the importer to ensure that the commodity code advised is correct for the products/goods being supplied by JCC Lighting Limited. JCC Lighting Limited does not assume any liabilities, losses, costs, and expenses arising out of or related to the importers use of this commodity code or the information related to the import of any JCC Lighting products.

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk
Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 85 [26/08/2026]